

Technical Data Sheet

ACTIVATOR 9

Description

Cleans, degreases parts and speeds up the setting time of cyanoacrylate adhesives.
Curing effect is obtained in 1 - 4 seconds depending from type of adhesive, gap between parts and surfaces composition.
The Activator is applied on one surface and let to dry for a few seconds.

Physical properties

Composition :	organic chemicals in solvent composition
Appearance :	colourless
Viscosity (+25°C - mPa s) :	1 - 2
Specific weight at +25°C (g/ml) :	0,8
Vapour pressure +25°C :	50 mbar
Toxicity :	TLV 270 ppm
Drying time at +25°C :	20 - 30 sec.
Activation effect on surface :	8 hours
Shelf life :	12 months in original unopened packaging

Storage

We recommend to store product in a cool and dry place at temperature non exceeding +20°C. To avoid contaminations do not refill containers with used product. For more information on applications, storage and handling contact Loxeal Technical Service

Safety and handling

Consult the Safety Data Sheet before use.

Note

The data contained herein, obtained in Loxeal laboratories, are given for information only; if specifics are required, please contact Loxeal Technical Department. Loxeal ensures abiding quality of supplied products according to its own specifics. Loxeal cannot assume responsibility for the results obtained by others which methods are not under Loxeal control. It is user's responsibility to determine suitability for user's purpose of any product mentioned herein. Loxeal disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Loxeal products. Loxeal specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits.